



Neoprene Balls Spec Sheet

Material Specifications	
Compound	Neoprene, Black
Shore A Hardness	70 Durometer
Tensile Strength, ASTM D412	18 MPa
Elongation, ASTM D412	260%
Tear Resistance, ASTM D624 (Die C)	40 kg/cm
Modulus 100%, ASTM D412	2.5 MPa
Specific Gravity	1.3
ASTM D2000	M3BC717A14B14EO14EO34F17

Properties are typical values. Final determination for suitability for use must be made by the customer. (09/16)