

Neoprene Balls Spec Sheet

Material Specifications	
Compound	Neoprene, Black
Shore A Hardness	70 Durometer
Tensile Strength, ASTM D412	18 MPa
Elongation, ASTM D412	260%
Tear Resistance, ASTM D624 (Die C)	40 kg/cm
Modulus 100%, ASTM D412	2.5 MPa
Specific Gravity	1.3
ASTM D2000	M3BC717A14B14EO14EO34F17

Disclaimer: Properties are typical values based on information supplied by material manufacturers. RubberMill is not responsible for errors, omissions and updates. Final determination for suitability for use must be made by the customer.