


Die Cut Tolerances for Solid Rubber Sheet

DRAWING DIMENSION (INCHES)	MATERIAL THICKNESS		
	UP TO .125 TOLERANCE	.126 TO .25 TOLERANCE	.26 TO .50 TOLERANCE
0.00 - 0.50	+/- .015	+/- .020	+/- .020
0.51 - 0.99	+/- .020	+/- .025	+/- .025
1.00 - 6.30	+/- .025	+/- .032	+/- .032
6.31 & up - multiply by	0.004	0.005	0.005

RubberMill's steel rule cutting dies are manufactured utilizing computer assisted design to meet customer specifications.



RUBBERMILL

Disclaimer: The information contained in this document is to be used as a guide only. RubberMill cannot guarantee the accuracy, or be held responsible for the information's end use.

Talk to a person... not a machine! • 336-622-1680 • www.rubbermill.com